

**Nothing can stop you
from getting Univator performance**

Presenting
Univator
Series



Univator offers:



Optimum weight
for the best performance on dry and wet land



Mechanical seals to keep water
out of transmission system



Best fuel efficiency in its class.
Save 10% more fuel than ordinary rotary tillers



Multi-speed gear box
to enable varying rotor speeds



Leakage-proof transmission
assured with grease-filled side transmission



Durability and longer life



The trust of Kirloskar



Enriching Lives



Helical Blades with 15° helix angle:
This reduces the load on the tractor and hence reduces fuel consumption.



Vice Skid: Avoids the damage to main skid and keep it safe from wear and tear.



Heavy and Reliable Mast: For balanced machine and better performance



Multi-speed gear box:
To enable varying rotor speeds





Mechanical seals: To keep water out of transmission system





Leakage-proof transmission assured with grease-filled side transmission

Univator DLX

						
Univator Model	L mm	W mm	Kgs.	No. of Blades	Type of Blades	HP
AM 1050 SG	1167	637	208	20	L	20 +
CM 1200	1370	860	368	30	L	30+
CME 1500	1650	868	380	36	L	35 +
CME 1800	1970	868	424	42	L	42 +
CME 1800 with C blades	1970	862	420	66	C	42 +
CME 1950 with C blades	2127	881	442	72	C	45 +
CME 2100	2279	860	457	48	L	50 +

FOR 540 PTO RPM			FOR 1000 PTO RPM (optional)		
	Gear Set Options			Gear Set Options	
SET	17-18			13-22	
DRIVE GEAR 1	17	18		13	
DRIVE GEAR 2	18	17		22	
ROTOR SPEED RPM	195	218		226	

Univator VLX

						
Univator Model	L mm	W mm	Kgs.	No. of Blades	Type of Blades	HP
KME 1200	1519	965	344	30	L	30 +
KME 1500	1749	965	371	36	L	35 +
KME 1800	1979	965	398	42	L	42 +
KME 2100	2209	965	430	48	L	50 +

FOR 540 RPM			FOR 1000 RPM		
	Gear Set Options			Gear Set Options	
SET	20 - 21			16 - 25	
DRIVE GEAR 1	20	21		16	
DRIVE GEAR 2	21	20		25	
Rotor RPM	212	234		264	

 <https://www.youtube.com/watch?v=IjA8bA7TqaQ>

*As continuous improvements are contemplated, the descriptions and illustrations mentioned are not binding and are subject to change without any notice. ** Accessories are not a standard fitment. # Terms and conditions apply ## Patent pending on product features

KIRLOSKAR OIL ENGINES LTD.

A Kirloskar Group Company

Regd. Office: Laxmanrao Kirloskar Road, Khadki, Pune - 411003, India.
Tel.: +9120 - 25810341. Fax no.: +9120 - 25813208. Toll free No.: 18002333344.
Website: www.kmwagri.com Email: info@kirloskar.com

Authorised dealer: